

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,187 high school students in West Region during February of 2009. Frequency distributions may not total 1,187 due to non-response and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 12 years old or younger	1	0.1%
b. 13 years old	1	0.1%
c. 14 years old	101	8.5%
d. 15 years old	276	23.3%
e. 16 years old	285	24.1%
f. 17 years old	333	28.1%
g. 18 years old or older	188	15.9%
<b>Total</b>	<b>1,185</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Female	579	49.2%
b. Male	598	50.8%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 9th grade	310	26.4%
b. 10th grade	255	21.7%
c. 11th grade	296	25.2%
d. 12th grade	309	26.3%
e. Ungraded or other	6	0.5%
<b>Total</b>	<b>1,176</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	61	5.2%
b. No	1,109	94.8%
<b>Total</b>	<b>1,170</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. American Indian or Alaskan Native	113	9.5%
b. Asian	27	2.3%
c. Black or African American	20	1.7%
d. Native Hawaiian or Other Pacific Islander	15	1.3%
e. White	1,063	89.6%
(More than one response allowed)	<b>Total</b>	<b>1,238</b>
		<b>104.3%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 4 ft	2	0.2%
b. 4ft to 4 ft, 6 in	2	0.2%
c. 4ft, 7in to 5 ft	21	1.8%
d. 5ft, 1in to 5ft, 6in	457	39.9%
e. Over 5ft, 6in	663	57.9%
<b>Total</b>	<b>1,145</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. How much do you weigh without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 90 lbs	3	0.3%
b. 90-99 lbs	14	1.2%
c. 100-109 lbs	51	4.5%
d. 110-119lbs	118	10.3%
e. 120-129 lbs	166	14.5%
f. 130-139 lbs	157	13.8%
g. 140 lbs +	632	55.4%
<b>Total</b>	<b>1,141</b>	<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not ride a bicycle during the past 12 months	334	28.2%
b. Never wore a helmet	631	53.3%
c. Rarely wore a helmet	89	7.5%
d. Sometimes wore a helmet	41	3.5%
e. Most of the time wore a helmet	46	3.9%
f. Always wore a helmet	42	3.6%
<b>Total</b>	<b>1,183</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Never	36	3.1%
b. Rarely	86	7.4%
c. Sometimes	165	14.1%
d. Most of the time	391	33.4%
e. Always	492	42.1%
<b>Total</b>	<b>1,170</b>	<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not drive a car	242	20.7%
b. Never	54	4.6%
c. Rarely	77	6.6%
d. Sometimes	98	8.4%
e. Most of the time	184	15.7%
f. Always	514	44.0%
<b>Total</b>	<b>1,169</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	865	73.6%
b. 1 time	110	9.4%
c. 2 or 3 times	120	10.2%
d. 4 or 5 times	28	2.4%
e. 6 or more times	53	4.5%
<b>Total</b>	<b>1,176</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,041	88.3%
b. 1 time	65	5.5%
c. 2 or 3 times	36	3.1%
d. 4 or 5 times	14	1.2%
e. 6 or more times	23	2.0%
<b>Total</b>	<b>1,179</b>	<b>100.0%</b>
<i>Q-13. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	842	71.4%
b. 1 day	59	5.0%
c. 2 or 3 days	70	5.9%
d. 4 or 5 days	35	3.0%
e. 6 or more days	174	14.7%
<b>Total</b>	<b>1,180</b>	<b>100.0%</b>
<i>Q-14. During the past 30 days, on how many days did you carry a gun?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,030	87.0%
b. 1 day	46	3.9%
c. 2 or 3 days	36	3.0%
d. 4 or 5 days	19	1.6%
e. 6 or more days	53	4.5%
<b>Total</b>	<b>1,184</b>	<b>100.0%</b>
<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or a club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,029	87.4%
b. 1 day	37	3.1%
c. 2 or 3 days	27	2.3%
d. 4 or 5 days	11	0.9%
e. 6 or more days	73	6.2%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>
<i>Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,138	97.0%
b. 1 day	18	1.5%
c. 2 or 3 days	5	0.4%
d. 4 or 5 days	5	0.4%
e. 6 or more days	7	0.6%
<b>Total</b>	<b>1,173</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,110	93.7%
b. 1 time	35	3.0%
c. 2 or 3 times	21	1.8%
d. 4 or 5 times	3	0.3%
e. 6 or 7 times	2	0.2%
f. 8 or 9 times	2	0.2%
g. 10 or 11 times	1	0.1%
h. 12 or more times	11	0.9%
<b>Total</b>	<b>1,185</b>	<b>100.0%</b>
<i>Q-18. During the past 12 months, how many times were you in a physical fight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	811	68.5%
b. 1 time	176	14.9%
c. 2 or 3 times	98	8.3%
d. 4 or 5 times	42	3.5%
e. 6 or 7 times	12	1.0%
f. 8 or 9 times	5	0.4%
g. 10 or 11 times	5	0.4%
h. 12 or more times	35	3.0%
<b>Total</b>	<b>1,184</b>	<b>100.0%</b>
<i>Q-19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,125	95.4%
b. 1 time	34	2.9%
c. 2 or 3 times	8	0.7%
d. 4 or 5 times	4	0.3%
e. 6 or more times	8	0.7%
<b>Total</b>	<b>1,179</b>	<b>100.0%</b>
<i>Q-20. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,056	89.3%
b. 1 time	70	5.9%
c. 2 or 3 times	33	2.8%
d. 4 or 5 times	6	0.5%
e. 6 or 7 times	4	0.3%
f. 8 or 9 times	1	0.1%
g. 10 or 11 times	0	0.0%
h. 12 or more times	13	1.1%
<b>Total</b>	<b>1,183</b>	<b>100.0%</b>
<i>Q-21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	120	10.2%
b. No	1,054	89.8%
<b>Total</b>	<b>1,174</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-22. Have you ever been forced to have sexual intercourse when you did not want to?	<u>Count</u>	<u>Percent</u>
a. Yes	115	9.8%
b. No	1,063	90.2%
<b>Total</b>	<b>1,178</b>	<b>100.0%</b>

Q-23. During the past 12 months, have you ever been bullied on school property?	<u>Count</u>	<u>Percent</u>
a. Yes	260	22.0%
b. No	920	78.0%
<b>Total</b>	<b>1,180</b>	<b>100.0%</b>

Q-24. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?	<u>Count</u>	<u>Percent</u>
a. Yes	207	17.6%
b. No	971	82.4%
<b>Total</b>	<b>1,178</b>	<b>100.0%</b>

Q-25. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	<u>Count</u>	<u>Percent</u>
a. Yes	341	29.0%
b. No	833	71.0%
<b>Total</b>	<b>1,174</b>	<b>100.0%</b>

Q-26. During the past 12 months, did you ever seriously consider attempting suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	181	15.4%
b. No	996	84.6%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>

Q-27. During the past 12 months, did you make a plan about how you would attempt suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	123	10.5%
b. No	1,054	89.5%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>

Q-28. During the past 12 months, how many times did you actually attempt suicide?	<u>Count</u>	<u>Percent</u>
a. 0 times	1,043	88.4%
b. 1 time	105	8.9%
c. 2 or 3 times	16	1.4%
d. 4 or 5 times	5	0.4%
e. 6 or more times	11	0.9%
<b>Total</b>	<b>1,180</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-29. *If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?*

	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide during the past 12 months	1,045	88.6%
b. Yes	29	2.5%
c. No	106	9.0%
<b>Total</b>	<b>1,180</b>	<b>100.0%</b>

Q-30. *Have you ever tried cigarette smoking, even one or two puffs?*

	<u>Count</u>	<u>Percent</u>
a. Yes	566	48.4%
b. No	603	51.6%
<b>Total</b>	<b>1,169</b>	<b>100.0%</b>

Q-31. *How old were you when you smoked a whole cigarette for the first time?*

	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	734	62.6%
b. 8 years old or younger	43	3.7%
c. 9 or 10 years old	42	3.6%
d. 11 or 12 years old	77	6.6%
e. 13 or 14 years old	133	11.3%
f. 15 or 16 years old	117	10.0%
g. 17 years old or older	27	2.3%
<b>Total</b>	<b>1,173</b>	<b>100.0%</b>

Q-32. *During the past 30 days, on how many days did you smoke cigarettes?*

	<u>Count</u>	<u>Percent</u>
a. 0 days	962	81.5%
b. 1 or 2 days	72	6.1%
c. 3 to 5 days	29	2.5%
d. 6 to 9 days	19	1.6%
e. 10 to 19 days	26	2.2%
f. 20 to 29 days	22	1.9%
g. All 30 days	51	4.3%
<b>Total</b>	<b>1,181</b>	<b>100.0%</b>

Q-33. *During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?*

	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	963	81.4%
b. Less than 1 cigarette per day	69	5.8%
c. 1 cigarette per day	41	3.5%
d. 2 to 5 cigarettes per day	75	6.3%
e. 6 to 10 cigarettes per day	23	1.9%
f. 11 to 20 cigarettes per day	5	0.4%
g. More than 20 cigarettes per day	7	0.6%
<b>Total</b>	<b>1,183</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<b>Q-34. During the past 30 days, how did you usually get your own cigarettes?</b> (Select only one response)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke cigarettes during the past 30 days	948	80.8%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	32	2.7%
c. I bought them from a vending machine	6	0.5%
d. I gave someone else money to buy them for me	64	5.5%
e. I borrowed them from someone else	66	5.6%
f. A person 18 years old or older gave them to me	15	1.3%
g. I took them from a store or family member	17	1.4%
h. I got them some other way	25	2.1%
<b>Total</b>	<b>1,173</b>	<b>100.0%</b>

<b>Q-35. During the past 30 days, on how many days did you smoke cigarettes on school property?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,121	94.9%
b. 1 or 2 days	22	1.9%
c. 3 to 5 days	5	0.4%
d. 6 to 9 days	11	0.9%
e. 10 to 19 days	3	0.3%
f. 20 to 29 days	2	0.2%
g. All 30 days	17	1.4%
<b>Total</b>	<b>1,181</b>	<b>100.0%</b>

<b>Q-36. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	172	14.7%
b. No	997	85.3%
<b>Total</b>	<b>1,169</b>	<b>100.0%</b>

<b>Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke during the past 12 months	889	76.2%
b. Yes	168	14.4%
c. No	110	9.4%
<b>Total</b>	<b>1,167</b>	<b>100.0%</b>

<b>Q-38. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,020	86.4%
b. 1 or 2 days	50	4.2%
c. 3 to 5 days	19	1.6%
d. 6 to 9 days	15	1.3%
e. 10 to 19 days	19	1.6%
f. 20 to 29 days	17	1.4%
g. All 30 days	41	3.5%
<b>Total</b>	<b>1,181</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-39. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,072	91.0%
b. 1 or 2 days	30	2.5%
c. 3 to 5 days	19	1.6%
d. 6 to 9 days	8	0.7%
e. 10 to 19 days	18	1.5%
f. 20 to 29 days	8	0.7%
g. All 30 days	23	2.0%
<b>Total</b>	<b>1,178</b>	<b>100.0%</b>

<i>Q-40. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,020	86.1%
b. 1 or 2 days	92	7.8%
c. 3 to 5 days	34	2.9%
d. 6 to 9 days	11	0.9%
e. 10 to 19 days	12	1.0%
f. 20 to 29 days	2	0.2%
g. All 30 days	13	1.1%
<b>Total</b>	<b>1,184</b>	<b>100.0%</b>

<i>Q-41. During your life, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	293	24.9%
b. 1 or 2 days	146	12.4%
c. 3 to 9 days	200	17.0%
d. 10 to 19 days	145	12.3%
e. 20 to 39 days	128	10.9%
f. 40 to 99 days	114	9.7%
g. 100 or more days	152	12.9%
<b>Total</b>	<b>1,178</b>	<b>100.0%</b>

<i>Q-42. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had a drink of alcohol other than a few sips	309	26.3%
b. 8 years old or younger	91	7.7%
c. 9 or 10 years old	70	6.0%
d. 11 or 12 years old	147	12.5%
e. 13 or 14 years old	298	25.4%
f. 15 or 16 years old	214	18.2%
g. 17 years old or older	46	3.9%
<b>Total</b>	<b>1,175</b>	<b>100.0%</b>



## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-43. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	694	59.0%
b. 1 or 2 days	225	19.1%
c. 3 to 5 days	121	10.3%
d. 6 to 9 days	72	6.1%
e. 10 to 19 days	41	3.5%
f. 20 to 29 days	16	1.4%
g. All 30 days	8	0.7%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>

<i>Q-44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	851	72.0%
b. 1 day	110	9.3%
c. 2 days	67	5.7%
d. 3 to 5 days	79	6.7%
e. 6 to 9 days	38	3.2%
f. 10 to 19 days	23	1.9%
g. 20 or more days	14	1.2%
<b>Total</b>	<b>1,182</b>	<b>100.0%</b>

<i>Q-45. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink alcohol during the past 30 days	681	58.0%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	24	2.0%
c. I bought it at a restaurant, bar, or club	8	0.7%
d. I bought it at a public event such as a concert or sporting event	3	0.3%
e. I gave someone else money to buy it for me	144	12.3%
f. Someone gave it to me	190	16.2%
g. I took it from a store or family member	34	2.9%
h. I got it some other way	91	7.7%
<b>Total</b>	<b>1,175</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,077	92.9%
b. 1 or 2 days	41	3.5%
c. 3 to 5 days	17	1.5%
d. 6 to 9 days	6	0.5%
e. 10 to 19 days	6	0.5%
f. 20 to 29 days	3	0.3%
g. All 30 days	9	0.8%
<b>Total</b>	<b>1,159</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-47. During your life, how many times have you used marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	714	60.5%
b. 1 or 2 times	94	8.0%
c. 3 to 9 times	98	8.3%
d. 10 to 19 times	54	4.6%
e. 20 to 39 times	55	4.7%
f. 40 to 99 times	59	5.0%
g. 100 or more times	106	9.0%
<b>Total</b>	<b>1,180</b>	<b>100.0%</b>

<i>Q-48. How old were you when you tried marijuana for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never tried marijuana	705	59.8%
b. 8 years old or younger	24	2.0%
c. 9 or 10 years old	34	2.9%
d. 11 or 12 years old	57	4.8%
e. 13 or 14 years old	150	12.7%
f. 15 or 16 years old	161	13.7%
g. 17 years old or older	48	4.1%
<b>Total</b>	<b>1,179</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, how many times did you use marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	918	78.5%
b. 1 or 2 times	66	5.6%
c. 3 to 9 times	67	5.7%
d. 10 to 19 times	47	4.0%
e. 20 to 39 times	30	2.6%
f. 40 or more times	42	3.6%
<b>Total</b>	<b>1,170</b>	<b>100.0%</b>

<i>Q-50. During the past 30 days, how many times did you use marijuana on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,099	92.8%
b. 1 or 2 times	31	2.6%
c. 3 to 9 times	22	1.9%
d. 10 to 19 times	17	1.4%
e. 20 to 39 times	4	0.3%
f. 40 or more times	11	0.9%
<b>Total</b>	<b>1,184</b>	<b>100.0%</b>

<i>Q-51. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,108	93.9%
b. 1 or 2 times	33	2.8%
c. 3 to 9 times	16	1.4%
d. 10 to 19 times	11	0.9%
e. 20 to 39 times	4	0.3%
f. 40 or more times	8	0.7%
<b>Total</b>	<b>1,180</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-52. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,143	97.1%
b. 1 or 2 times	9	0.8%
c. 3 to 9 times	9	0.8%
d. 10 to 19 times	8	0.7%
e. 20 to 39 times	1	0.1%
f. 40 or more times	7	0.6%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>

<i>Q-53. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,026	86.7%
b. 1 or 2 times	81	6.8%
c. 3 to 9 times	41	3.5%
d. 10 to 19 times	18	1.5%
e. 20 to 39 times	3	0.3%
f. 40 or more times	14	1.2%
<b>Total</b>	<b>1,183</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,155	97.9%
b. 1 or 2 times	5	0.4%
c. 3 to 9 times	7	0.6%
d. 10 to 19 times	4	0.3%
e. 20 to 39 times	0	0.0%
f. 40 or more times	9	0.8%
<b>Total</b>	<b>1,180</b>	<b>100.0%</b>

<i>Q-55. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,143	97.2%
b. 1 or 2 times	9	0.8%
c. 3 to 9 times	8	0.7%
d. 10 to 19 times	3	0.3%
e. 20 to 39 times	1	0.1%
f. 40 or more times	12	1.0%
<b>Total</b>	<b>1,176</b>	<b>100.0%</b>

<i>Q-56. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,103	93.3%
b. 1 or 2 times	37	3.1%
c. 3 to 9 times	24	2.0%
d. 10 to 19 times	5	0.4%
e. 20 to 39 times	3	0.3%
f. 40 or more times	10	0.8%
<b>Total</b>	<b>1,182</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-57. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,140	96.9%
b. 1 or 2 times	16	1.4%
c. 3 to 9 times	5	0.4%
d. 10 to 19 times	7	0.6%
e. 20 to 39 times	2	0.2%
f. 40 or more times	6	0.5%
<b>Total</b>	<b>1,176</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,147	97.9%
b. 1 time	9	0.8%
c. 2 or more times	16	1.4%
<b>Total</b>	<b>1,172</b>	<b>100.0%</b>

<i>Q-59. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	249	21.2%
b. No	923	78.8%
<b>Total</b>	<b>1,172</b>	<b>100.0%</b>

<i>Q-60. Have you ever had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	583	50.0%
b. No	584	50.0%
<b>Total</b>	<b>1,167</b>	<b>100.0%</b>

<i>Q-61. How old were you when you had sexual intercourse for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	593	50.3%
b. 11 years old or younger	35	3.0%
c. 12 years old	35	3.0%
d. 13 years old	59	5.0%
e. 14 years old	115	9.8%
f. 15 years old	140	11.9%
g. 16 years old	138	11.7%
h. 17 years old or older	64	5.4%
<b>Total</b>	<b>1,179</b>	<b>100.0%</b>

<i>Q-62. During your life, with how many people have you had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	602	51.2%
b. 1 person	214	18.2%
c. 2 people	92	7.8%
d. 3 people	77	6.5%
e. 4 people	48	4.1%
f. 5 people	37	3.1%
g. 6 or more people	106	9.0%
<b>Total</b>	<b>1,176</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-63. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	597	50.8%
b. I have had sexual intercourse, but not during the past 3 months	171	14.6%
c. 1 person	283	24.1%
d. 2 people	77	6.6%
e. 3 people	16	1.4%
f. 4 people	9	0.8%
g. 5 people	4	0.3%
h. 6 or more people	18	1.5%
<b>Total</b>	<b>1,175</b>	<b>100.0%</b>

<i>Q-64. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	594	50.8%
b. Yes	154	13.2%
c. No	422	36.1%
<b>Total</b>	<b>1,170</b>	<b>100.0%</b>

<i>Q-65. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	603	51.5%
b. Yes	379	32.4%
c. No	188	16.1%
<b>Total</b>	<b>1,170</b>	<b>100.0%</b>

<i>Q-66. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	589	50.4%
b. No method was used to prevent pregnancy	52	4.4%
c. Birth control pills	126	10.8%
d. Condoms	313	26.8%
e. Depo-Provera	20	1.7%
f. Withdrawal	40	3.4%
g. Some other method	17	1.5%
h. Not sure	12	1.0%
<b>Total</b>	<b>1,169</b>	<b>100.0%</b>

<i>Q-67. How do you describe your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Very underweight	30	2.6%
b. Slightly underweight	125	10.7%
c. About the right weight	693	59.5%
d. Slightly overweight	273	23.5%
e. Very overweight	43	3.7%
<b>Total</b>	<b>1,164</b>	<b>100.0%</b>

<i>Q-68. Which of the following are you trying to do about your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Lose weight	486	41.3%
b. Gain weight	180	15.3%
c. Stay the same weight	229	19.5%
d. I am not trying to do anything about my weight	282	24.0%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-69. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	716	61.5%
b. No	448	38.5%
<b>Total</b>	<b>1,164</b>	<b>100.0%</b>
Q-70. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	472	40.5%
b. No	692	59.5%
<b>Total</b>	<b>1,164</b>	<b>100.0%</b>
Q-71. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	132	11.3%
b. No	1,039	88.7%
<b>Total</b>	<b>1,171</b>	<b>100.0%</b>
Q-72. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's prescription to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	72	6.2%
b. No	1,094	93.8%
<b>Total</b>	<b>1,166</b>	<b>100.0%</b>
Q-73. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	54	4.7%
b. No	1,102	95.3%
<b>Total</b>	<b>1,156</b>	<b>100.0%</b>
Q-74. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	235	20.0%
b. 1 to 3 times during the past 7 days	464	39.5%
c. 4 to 6 times during the past 7 days	202	17.2%
d. 1 time per day	80	6.8%
e. 2 times per day	113	9.6%
f. 3 times per day	34	2.9%
g. 4 or more times per day	47	4.0%
<b>Total</b>	<b>1,175</b>	<b>100.0%</b>
Q-75. During the past 7 days, how many times did you eat fruit?	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	119	10.1%
b. 1 to 3 times during the past 7 days	394	33.6%
c. 4 to 6 times during the past 7 days	307	26.1%
d. 1 time per day	145	12.4%
e. 2 times per day	128	10.9%
f. 3 times per day	44	3.7%
g. 4 or more times per day	37	3.2%
<b>Total</b>	<b>1,174</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-76. During the past 7 days, how many times did you eat green salad?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat green salad during the past 7 days	304	25.9%
b. 1 to 3 times during the past 7 days	505	43.1%
c. 4 to 6 times during the past 7 days	204	17.4%
d. 1 time per day	103	8.8%
e. 2 times per day	33	2.8%
f. 3 times per day	6	0.5%
g. 4 or more times per day	18	1.5%
<b>Total</b>	<b>1,173</b>	<b>100.0%</b>

<i>Q-77. During the past 7 days, how many times did you eat potatoes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat potatoes during the past 7 days	335	28.5%
b. 1 to 3 times during the past 7 days	620	52.8%
c. 4 to 6 times during the past 7 days	152	12.9%
d. 1 time per day	35	3.0%
e. 2 times per day	15	1.3%
f. 3 times per day	4	0.3%
g. 4 or more times per day	14	1.2%
<b>Total</b>	<b>1,175</b>	<b>100.0%</b>

<i>Q-78. During the past 7 days, how many times did you eat carrots?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat carrots during the past 7 days	474	40.3%
b. 1 to 3 times during the past 7 days	515	43.8%
c. 4 to 6 times during the past 7 days	112	9.5%
d. 1 time per day	42	3.6%
e. 2 times per day	20	1.7%
f. 3 times per day	4	0.3%
g. 4 or more times per day	10	0.8%
<b>Total</b>	<b>1,177</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat other vegetables?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat other vegetables during the past 7 days	148	12.7%
b. 1 to 3 times during the past 7 days	473	40.5%
c. 4 to 6 times during the past 7 days	284	24.3%
d. 1 time per day	133	11.4%
e. 2 times per day	80	6.8%
f. 3 times per day	22	1.9%
g. 4 or more times per day	28	2.4%
<b>Total</b>	<b>1,168</b>	<b>100.0%</b>

<i>Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink a soda or pop during the past 7 days	269	22.9%
b. 1 to 3 times during the past 7 days	427	36.4%
c. 4 to 6 times during the past 7 days	224	19.1%
d. 1 time per day	101	8.6%
e. 2 times per day	80	6.8%
f. 3 times per day	29	2.5%
g. 4 or more times per day	44	3.7%
<b>Total</b>	<b>1,174</b>	<b>100.0%</b>

## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-81. During the past 7 days, how many glasses of milk did you drink?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink milk during the past 7 days	164	14.0%
b. 1 to 3 glasses during the past 7 days	213	18.2%
c. 4 to 6 glasses during the past 7 days	193	16.5%
d. 1 glass per day	178	15.2%
e. 2 glasses per day	212	18.1%
f. 3 glasses per day	114	9.8%
g. 4 or more glasses per day	95	8.1%
<b>Total</b>	<b>1,169</b>	<b>100.0%</b>

<i>Q-82. During the past 7 days on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	145	12.5%
b. 1 day	95	8.2%
c. 2 days	113	9.8%
d. 3 days	118	10.2%
e. 4 days	120	10.4%
f. 5 days	161	13.9%
g. 6 days	128	11.1%
h. 7 days	277	23.9%
<b>Total</b>	<b>1,157</b>	<b>100.0%</b>

<i>Q-83. On an average school day, how many hours do you watch TV?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not watch TV on an average school day	185	15.7%
b. Less than 1 hour per day	266	22.6%
c. 1 hour per day	194	16.5%
d. 2 hours per day	264	22.5%
e. 3 hours per day	159	13.5%
f. 4 hours per day	55	4.7%
g. 5 or more hours per day	52	4.4%
<b>Total</b>	<b>1,175</b>	<b>100.0%</b>

<i>Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not play video or computer games or use a computer for something that is not school work	277	23.7%
b. Less than 1 hour per day	344	29.4%
c. 1 hour per day	196	16.7%
d. 2 hours per day	150	12.8%
e. 3 hours per day	88	7.5%
f. 4 hours per day	46	3.9%
g. 5 or more hours per day	70	6.0%
<b>Total</b>	<b>1,171</b>	<b>100.0%</b>

<i>Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	504	43.4%
b. 1 day	22	1.9%
c. 2 days	48	4.1%
d. 3 days	160	13.8%
e. 4 days	150	12.9%
f. 5 days	277	23.9%
<b>Total</b>	<b>1,161</b>	<b>100.0%</b>



## 2009 WEST REGION YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-86. During the past 12 months, on how many sports teams did you play?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 teams	415	35.7%
b. 1 team	309	26.5%
c. 2 teams	205	17.6%
d. 3 or more teams	235	20.2%
<b>Total</b>	<b>1,164</b>	<b>100.0%</b>
<i>Q-87. Have you ever been taught about AIDS/HIV infection in school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	989	84.6%
b. No	110	9.4%
c. Not sure	70	6.0%
<b>Total</b>	<b>1,169</b>	<b>100.0%</b>
<i>Q-88. Has a doctor or nurse ever told you that you have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	223	19.2%
b. No	875	75.5%
c. Not sure	61	5.3%
<b>Total</b>	<b>1,159</b>	<b>100.0%</b>
<i>Q-89. Do you still have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had asthma	732	62.6%
b. Yes	170	14.5%
c. No	180	15.4%
d. Not sure	88	7.5%
<b>Total</b>	<b>1,170</b>	<b>100.0%</b>
<i>Q-90. During the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	189	16.5%
b. No	956	83.5%
<b>Total</b>	<b>1,145</b>	<b>100.0%</b>
<i>Q-91. Do you drive, and did you complete driver education (classroom and behind-the-wheel)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. No, doesn't drive, doesn't have license or permit, did not complete driver ed	331	28.7%
b. No, doesn't drive, doesn't have license or permit, but completed driver ed	52	4.5%
c. Yes, drives, has a valid license or permit, but did not complete driver ed	79	6.8%
d. Yes drives, has valid license or permit and completed driver ed	638	55.3%
e. Yes, drives on public roads, but does not have a valid license or permit	54	4.7%
<b>Total</b>	<b>1,154</b>	<b>100.0%</b>